

Auto Discovery

Con Auto-Discovery vamos a configurar zabbix para que automáticamente cada cierto tiempo, nos busque equipos nuevos en las redes que tengamos definidas y nos añada los mismos al sistema en función de ciertas condiciones.

Para configurar una regla de auto-discovery vamos a **Configuration→Actions** y en el desplegable **Event Source** seleccionamos **Discovery**

Para crear una nueva regla de descubrimiento pulsamos en el botón azul **Create Action**. Asignamos un nombre y en la casilla **New Condition** seleccionaremos “Valor recibido, igual que” y rellenaremos el valor Linux, y pulsaremos al enlace azul “Agregar”. Repetimos el proceso para agregar el resto de condiciones

The screenshot shows the Zabbix web interface with the 'Actions' tab selected. The 'Name' field is filled with 'Descubrir equipos Windows'. The 'Type of calculation' is set to 'And/Or'. The 'Conditions' table lists two conditions: 'A' (Received value like Windows) and 'B' (Discovery status = Up). The 'New condition' section shows a dropdown for 'Discovery status' followed by an equals sign and a dropdown for 'Up'. The 'Enabled' checkbox is checked. 'Add' and 'Cancel' buttons are at the bottom.

Label	Name	Action
A	Received value like Windows	Remove
B	Discovery status = Up	Remove

New condition: Discovery status = Up [Add](#)

Enabled: ☒ [Add](#) [Cancel](#)

Ahora pulsamos sobre la pestaña acciones y configuramos que acciones queremos

The screenshot shows the 'Operations' tab in the Zabbix 'Actions' configuration. The 'Default subject' is 'Discovery: {DISCOVERY.DEVICE.STATUS} {DISCOVERY.DEVICE.IPADDRESS}'. The 'Default message' is a template with variables for device IP, DNS, status, and uptime. The 'Operations' table lists two actions: 'Add to host groups: Servidores Windows' and 'Link to templates: Template OS Windows'. The 'Add' and 'Cancel' buttons are at the bottom.

Default subject: Discovery: {DISCOVERY.DEVICE.STATUS} {DISCOVERY.DEVICE.IPADDRESS}

Default message: Discovery rule: {DISCOVERY.RULE.NAME}
Device IP: {DISCOVERY.DEVICE.IPADDRESS}
Device DNS: {DISCOVERY.DEVICE.DNS}
Device status: {DISCOVERY.DEVICE.STATUS}
Device uptime: {DISCOVERY.DEVICE.UPTIME}

Details	Action
Add to host groups: Servidores Windows	Edit Remove
Link to templates: Template OS Windows	Edit Remove

[New](#)

[Add](#) [Cancel](#)

From:
<https://intrusos.info/> - **LCWIKI**

Permanent link:
<https://intrusos.info/doku.php?id=seguridad:monitorizacion:zabbix3:autodiscovery&rev=1511359904>

Last update: **2023/01/18 14:39**

