


[zabbix,snmp](#)

Monitorizar un Host por SNMP

Entramos en el frontal Web de Zabbix → Menu configuration → Hosts

Pulsamos en el botón de la esquina superior derecha **Create host**



En el campo host name ponemos en nombre que queramos darle al host

En la casilla groups seleccionamos o creamos el grupo donde queremos encuadrarlo.

Como sólo vamos a monitorizarlo por snmp . Pinchamos en remove del **agent interfaces** y pulsamos en add de **SNMP interfaces**

The screenshot shows the 'Create host' form in Zabbix. It has tabs for 'Host', 'Templates', 'IPMI', 'Macros', 'Host inventory', and 'Encryption'. The 'Host' tab is active. The form includes fields for 'Host name' and 'Visible name'. Below these are 'Groups' and 'In groups' sections. The 'Other groups' list includes 'Aplicaciones', 'Backup', 'Cabinas', 'clusterpro1 (vm)', 'clusterpro2 (vm)', 'clusterpro3 (vm)', and 'Discovered hosts'. There's a 'New group' field. The 'Agent interfaces' section has a table with columns 'IP ADDRESS', 'DNS NAME', 'CONNECT TO PORT', and 'DEFAULT'. It contains one row with '127.0.0.1' and a 'Remove' button. Below this are sections for 'SNMP interfaces', 'JMX interfaces', and 'IPMI interfaces', each with an 'Add' button. A 'Description' text area is also present. At the bottom, there's a 'Monitored by proxy' dropdown set to '(no proxy)', an 'Enabled' checkbox, and 'Add' and 'Cancel' buttons.

En nuestro caso quedaría de la siguiente forma

Host

Templates

IPMI

Macros

Host inventory

Encryption

Host name

Servidor

Visible name

Groups

In groups

Servidores Windows

Other groups

SAI

Servidores Linux

Servidores Vcenter

Servidores Web

Switch

Templates

Tomcat

Virtual machines

VoIP

Zabbix servers

New group

Agent interfaces

IP ADDRESS DNS NAME CONNECT TO PORT DEFAULT

Add

SNMP interfaces

192.168.1.200

IP

DNS

161

Remove

Use bulk requests

Add

JMX interfaces

Add

IPMI interfaces

Add

Description

Monitored by proxy

(no proxy)

Enabled

Add

Cancel

Elegimos una plantilla para nuestro host

Host groups

Templates

Hosts

Maintenance

Actions

Discovery

IT services

Hosts

Host

Templates

IPMI

Macros

Host inventory

Encryption

Linked templates

NAME

ACTION

Link new templates

Template OS Windows

type here to search


Select

Add

Add

Cancel

En el caso de usar una comunidad de lectura distinta de la de por defecto, la definimos en la pestaña



Host groups Templates **Hosts** Maintenance Actions Discovery IT services

Hosts

Host Templates IPMI **Macros** Host inventory Encryption

Host macros Inherited and host macros

MACRO VALUE

(\$SNMP_COMMUNITY) ⇒ public Remove

Add

Add Cancel

de Macros

From:

<https://intrusos.info/> - LCWIKI

Permanent link:

<https://intrusos.info/doku.php?id=seguridad:monitorizacion:zabbix3:snmp&rev=1461756590>

Last update: **2023/01/18 14:39**

